





Detailed Summary Tables— Eastern/Coastal Region (Region 1)*

North Carolina Youth Tobacco Survey 2011 Middle School and High School Tables

N.C. Department of Health and Human Services

Surveillance and Evaluation Team
Tobacco Prevention and Control Branch
Department of Health and Human Services
1932 Mail Service Center
Raleigh, NC 27699-1932
919-707-5400
www.tobaccopreventionandcontrol.ncdhhs.gov

*Eastern/Coastal Region includes the following counties--Beaufort, Bertie, Bladen, Brunswick, Camden, Carteret, Chowan, Columbus, Craven, Currituck,
Dare, Duplin, Edgecombe, Gates, Greene, Halifax, Hertford, Hyde, Johnston, Jones, Lenoir, Martin,
Nash, New Hanover, Northampton, Onslow, Pamlico, Pasquotank, Pender, Perquimans, Pitt,
Sampson, Tyrrell, Warren, Washington, Wayne, and Wilson counties.

List of Middle School Tables

	List of Middle School Tables
Table	Percentage of middle school students who report ever using* any tobacco
MS-1	product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.
Table	Percentage of middle school students who report current use of any tobacco
MS-2	product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.
Table	Percentage of middle school students who report current use* of emerging
MS-3	tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 1/Coastal Region .
Table	Percentage of middle school students who report first using* cigarettes before
MS-4	11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/Coastal Region .
Table	Percentage of middle school students who are current smokers who report
MS-5	usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .
Table	Percentage of middle school students who report frequently using* cigarettes,
MS-6	by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011— Region 1/ Coastal Region .
Table	Percentage of middle school current smoking students who report their primary
MS-7	sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .
Table	Percentage of middle school students who report smoking intentions,
MS-8	perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .
Table	Percentage of middle school students who report media and advertising
MS-9	influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .
Table	Percentage of middle school students who report exposure to anti-tobacco
MS-10	education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.
Table	Percentage of middle school never smoking students who report they were in
MS-11	their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .
Table	Percentage of middle school current smoking students who report quitting
MS-12	perceptions, intention to quit and cessation practices, by gender, grade, and
110 12	race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .
Table	Percentage of middle school never and current smoking students who report
MS-13	smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .

List of High School Tables

Table Percentage of high school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, HS-1 and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region . Table Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, HS-2 grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region . Table Percentage of high school students who report current use* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 1/ HS-3 Coastal Region . Table Percentage of high school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, HS-4 grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region . Table Percentage of high school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina HS-5 Youth Tobacco Survey, 2011—Region 1/ Coastal Region. Table Percentage of high school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011— HS-6 Region 1/ Coastal Region. Table Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: HS-7 North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region . Table Percentage of high school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth HS-8 Tobacco Survey, 2011—Region 1/ Coastal Region. Table Percentage of high school students who report media and advertising influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth HS-9 Tobacco Survey, 2011—Region 1/ Coastal Region. Table Percentage of high school students who report exposure to anti-tobacco education in school in the past year, by gender, grade, and race/ethnicity: North HS-10 Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region. Table Percentage of high school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by HS-11 gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011— Region 1/ Coastal Region . Table Percentage of high school current smoking students who report quitting perceptions, intention to guit and cessation practices, by gender, grade, and HS-12 race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region . Table Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina HS-13

Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

TABLE MS-1. Percentage of middle school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, bidis, kreteks) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis/ Kreteks
Gender						
Female	25.4(±3.7)†	17.6(±3.9)	$9.1(\pm 2.8)$	6.1(±1.8)	$6.1(\pm 1.4)$	$2.5(\pm 1.1)$
Male	32.0(±4.3)	20.6(±3.4)	$14.5(\pm 3.4)$	13.3(±2.4)	7.6(±1.7)	3.0(±1.7)
Grade						
Sixth	19.6(±5.8)	10.6(±4.6)	$7.2(\pm 2.4)$	8.2(±3.4)	$2.6(\pm 1.7)$	$1.3(\pm 1.0)$
Seventh	31.5(±6.1)	21.5(±5.5)	11.2(±2.9)	9.0(±3.2)	9.2(±2.7)	$3.6(\pm 2.5)$
Eighth	35.5(±4.8)	25.6(±6.5)	17.3(±3.3)	12.4(±3.2)	9.0(±1.9)	3.7(±1.4)
Race/ethnicity						
White	27.5(±2.9)	$18.8(\pm 2.9)$	$10.6(\pm 2.4)$	$10.9(\pm 1.9)$	$7.3(\pm 2.0)$	$3.3(\pm 1.1)$
Black	29.6(±3.6)	19.0(±4.3)	12.2(±2.3)	8.0(±1.5)	5.3(±1.8)	$1.8(\pm 2.0)$
Hispanic	33.4(±7.5)	22.8(±6.3)	17.4(±5.1)	11.3(±4.7)	12.4(±4.4)	5.4(±5.6)
Other	30.6(±11.1)	20.7(±10.3)	16.6(±9.0)	9.2(±6.8)	8.9(±6.6)	1.0(±2.0)
Total	28.8(±2.8)	19.2(±2.8)	11.9(±1.8)	9.8(±1.3)	6.9(±1.0)	2.8(±1.1)

^{*}Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? "† Ninety-five percent confidence interval.

TABLE MS-2. Percentage of middle school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis	Kreteks
Gender							
Female	8.3(±2.2)†	$5.0(\pm 1.8)$	$3.2(\pm 1.7)$	$2.3(\pm 1.2)$	$2.6(\pm 1.3)$	$1.1(\pm 0.9)$	$1.4(\pm 1.0)$
Male	10.8(±2.5)	6.0(±2.3)	4.4(±1.8)	3.8(±2.0)	3.3(±1.6)	0.9(±0.6)	1.6(±1.0)
Grade							
Sixth	$4.8(\pm 3.1)$	$1.9(\pm 1.4)$	$1.8(\pm 1.5)$	1.9(±1.3)	$1.1(\pm 1.1)$	$0.5(\pm 0.5)$	$0.8(\pm 0.8)$
Seventh	9.6(±3.6)	5.4(±2.7)	3.1(±2.1)	2.9(±1.9)	3.4(±2.5)	$0.8(\pm 0.7)$	2.1(±2.1)
Eighth	14.6(±3.5)	9.4(±4.1)	6.6(±2.4)	4.7(±1.7)	4.6(±1.8)	1.8(±1.0)	1.9(±1.2)
Race/ethnicity							
White	$10.8(\pm 2.1)$	$6.4(\pm 2.3)$	$3.5(\pm 1.1)$	$3.8(\pm 1.7)$	$3.5(\pm 1.1)$	$1.5(\pm 0.9)$	$1.8(\pm 1.0)$
Black	8.2(±2.2)	4.8(±1.8)	4.2(±1.8)	2.2(±1.6)	1.9(±2.0)	$0.4(\pm 0.6)$	1.2(±1.4)
Hispanic	9.9(±4.1)	4.9(±3.1)	4.3(±2.8)	2.9(±1.9)	5.7(±2.5)	1.6(±1.3)	$2.7(\pm 1.4)$
Other	11.8(±8.5)	3.5(±5.4)	4.4(±4.4)	2.4(±3.4)	1.2(±2.4)	$0.0(\pm 0.0)$	2.7(±1.4)
Total	9.7(±1.6)	5.5(±1.6)	3.8(±1.1)	3.1(±1.1)	3.0(±1.0)	1.0(±0.4)	1.4(±2.5)

^{*}Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

[†] Ninety-five percent confidence interval.

TABLE MS-3. Percentage of middle school students who report current use* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Current Use
Roll-Your-Own Cigarettes	3.0(±0.9)†
Flavored Cigarettes	2.5(±1.1)
Clove Cigars	0.5(±0.2)
Flavored Little Cigars	1.3(±0.8)
Hookah/Waterpipe	1.1(±0.6)
Snus	0.9(±0.5)
Dissolvables (e.g. orbs, strips, sticks)	$0.5(\pm 0.4)$
Electronic Cigarettes	1.0(±0.7)
Other new product	2.2(±0.9)
Percent of current smokers using at least	62.2(±11.2)
one of the above products	•

^{*}Current use defined as use on one or more of the past 30 days.)

[†] Ninety-five percent confidence interval.

TABLE MS-4. Percentage of middle school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	34.2(±11.4)†	3.1(±3.8)
Male	41.7(±7.1)	5.7(±5.3)
Grade		
Sixth	71.0(±17.0)	$0.0(\pm 0.0)$
Seventh	$34.2(\pm 10.7)$	3.3(±5.8)
Eighth	27.8(±9.0)	7.5(±5.9)
Race/ethnicity		
White	36.4(±8.1)	8.0(±6.6)
Black	37.5(±14.6)	1.0(±2.0)
Hispanic	47.5(±14.8)	$0.0(\pm 0.0)$
Other	44.0(±28.7)	5.2(±9.6)
Total	38.3(±6.6)	4.5(±4.2)

^{*}Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

TABLE MS-5. Percentage of middle school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Usually smokes menthol cigarettes
Gender	
Female	34.9(±14.6)†
Male	42.5(±14.1)
Grade	
Sixth	19.3(±28.1)
Seventh	30.4(±20.4)
Eighth	47.7(±15.3)
Race/ethnicity	
White	48.1(±13.8)
Black	19.6(±19.7)
Hispanic	42.1(±26.1)
Other	100.Ò(±0.0)́
Total	39.2(±12.7)

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE MS-6. Percentage of middle school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Frequent cigarette smoking
Gender	
Female	$0.4(\pm 0.5)^{\dagger}$
Male	0.9(±0.8)
Grade	
Sixth	$0.0(\pm 0.0)$
Seventh	$0.7(\pm 1.2)$
Eighth	1.3(±1.1)
Race/ethnicity	
White	$0.9(\pm 0.7)$
Black	0.4(±0.6)
Hispanic	$0.0(\pm 0.0)$
Other	1.0(±1.9)
Total	0.6(±0.5)

^{*} Smoked cigarettes, on 20 of the 30 days preceding the survey

TABLE MS-7. Percentage of middle school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Region 1/Coastal Region . (Note: Total is greater than 100% because students had the option to choose more than one answer.)

	Current Smoker
Social Sources:	
Gave someone else money to buy them for me	25.0(±8.2)
Borrowed (or bummed) them from someone else	27.7(±10.8)
Someone gave them to me without me asking	11.1(±7.3)
Direct Purchase:	
Bought them in a store such as a convenience store, supermarket, discount store, or gas station	32.2(±12.9)
Bought them from a vending machine	$0.4(\pm 0.8)$
Internet	100.0(±0.0)
Other Sources:	, ,
Took them from store or family member	9.1(±4.1)
Got them some other way	35.5(±7.5)

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE MS-8. Percentage of middle school students who report smoking intentions, perceptions about smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Never smoked who will not try a cigarette soon	Never smoked who will not be smoking cigarettes during the next year	Never smoked who definitely will not smoke if one of their best friends offers them a cigarette	Never smoked who have been told by at least one parent or guardian about not using any type of tobacco	Never smoked who think young people who smoke cigarettes have more friends	Never smokers who think smoking cigarettes makes young people look cool or fit in
Gender						
Female	97.2(±1.2)†	86.5(±3.3)	82.0(±2.9)	51.5(±5.3)	23.1(±4.2)	$5.8(\pm 2.2)$
Male	98.7(±0.9)	85.1(±2.4)	81.0(±3.9)	50.0(±4.8)	22.2(±4.5)	7.4(±2.4)
Grade						
Sixth	98.7(±0.8)	88.1(±2.7)	86.5(±2.0)	54.1(±4.7)	$20.6(\pm 3.4)$	7.2(±2.7)
Seventh	98.1(±1.8)	89.3(±3.3)	80.7(±4.9)	48.1(±5.3)	25.0(±5.2)	7.1(±3.4)
Eighth	96.9(±1.7)	79.4(±3.8)	76.4(±5.5)	49.5(±7.3)	22.7(±5.6)	5.3(±2.6)
Race/ethnicity						
White	98.6(±0.7)	86.0(±3.9)	80.4(±4.5)	47.8(±3.4)	18.5(±3.5)	5.1(±2.2)
Black	97.8(±1.8)	86.8(±4.0)	84.1(±5.5)	52.8(±7.1)	26.3(±5.4)	7.2(±3.2)
Hispanic	93.7(±4.0)	80.5(±6.1)	78.2(±7.0)	55.6(±9.6)	34.5(±3.7)	10.8(±6.1)
Other	98.5(±3.0)	82.6(±16.4)	78.7(±8.8)	56.8(±11.6)	14.7(±8.0)	2.9(±4.9)
Total	97.9(±0.9)	85.8(±2.3)	81.5(±2.8)	50.8(±3.9)	22.6(±3.2)	6.6(±1.7)

[†] Ninety-five percent confidence interval.

TABLE MS-9. Percentage of middle school students who report media and advertising influence regarding tobacco, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Saw or heard anti-smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products
Gender				
Female	74.7(±4.1)†	77.7(±3.9)	47.4(±4.5)	84.4(±3.3)
Male	67.7(±3.8)	77.9(±2.7)	40.4(±3.4)	81.6(±3.0)
Grade				
Sixth	$70.1(\pm 4.3)$	72.4(±5.0)	42.6(±6.6)	77.2(±5.1)
Seventh	70.4(±5.8)	76.3(±3.8)	42.6(±5.8)	81.6(±3.5)
Eighth	72.6(±4.0)	84.3(±3.3)	46.2(±5.7)	89.8(±2.7)
Race/ethnicity				
White	69.5(±4.3)	78.2(±3.2)	44.2(±2.7)	83.1(±3.0)
Black	72.8(±4.4)	78.1(±3.3)	43.8(±6.7)	83.0(±3.5)
Hispanic	72.5(±6.7)	74.9(±6.2)	45.0(±7.3)	82.2(±4.0)
Other	71.4(±11.9)	73.3(±7.2)	34.0(±7.8)	79.5(±6.0)
Total	71.0(±2.9)	77.7(±2.4)	43.8(±3.1)	82.8(±2.3)

[†] Ninety-five percent confidence interval.

TABLE MS-10. Percentage of middle school students who report exposure to antitobacco education in school in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .

	Were taught about the dangers of tobacco use at school
Gender	
Female	48.9(±7.3)†
Male	45.0(±8.1)
Grade Sixth Seventh Eighth	48.1(±10.7) 48.2(±8.6) 44.5(±9.5)
Race/ethnicity	
White	45.3(±8.9)
Black	47.8(±6.9)
Hispanic	53.4(±11.5)
Other	40.9(±10.1)
Total	46.9(±7.3)

[†] Ninety-five percent confidence interval.

TABLE MS-11. Percentage of middle school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Home	Vehicle
	Exposure	Exposure
Gender		
Female	26.3(±4.9)†	30.5(±4.5)†
Male	$21.3(\pm 4.0)$	25.2(±4.7)
	, ,	, ,
Grade		
Sixth	$26.3(\pm 6.2)$	28.7(±7.4)
Seventh	20.1(±5.0)	24.9(±6.3)
Eighth	24.7(±6.3)	29.9(±6.9)
-	, ,	, ,
Race/ethnicity		
White	27.1(±5.0)	31.3(±5.8)
Black	20.8(±5.3)	24.2(±6.2)
Hispanic	17.1(±7.9)	21.7(±4.3)
Other	23.4(±13.6)	30.6(±14.3)
	, ,	, -,
Total	23.8(±3.9)	27.8(±4.3)

[†] Ninety-five percent confidence interval.

TABLE MS-12. Percentage of middle school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Who want to stop smoking cigarettes	Tried to quit during at least once in the past 12 months	When they last tried to quit, stayed off cigarettes for less than 30 days
Gender			
Female	43.5(±21.2)†	76.2(±14.2)	40.5(±18.2)
Male	63.9(±14.0)	82.7(±15.5)	54.7(±17.5)
Grade			
Sixth	83.5(±19.7)	86.1(±26.0)	23.8(±24.7)
Seventh	46.7(±20.1)	74.6(±19.5)	48.9(±23.7)
Eighth	53.4(±16.8)	81.5(±13.2)	54.2(±21.2)
Race/ethnicity			
White	52.5(±13.4)	72.3(±15.5)	53.5(±20.0)
Black	55.1(±36.6)	92.8(±13.5)	32.2(±16.7)
Hispanic	78.5(±20.2)	93.5(±11.8)	66.5(±32.7)
Other	n/a(±n/a) ´	100.0(±0.0)	100.0(±0.0)
Total	55.1(±13.6)	79.8(±12.3)	48.6(±15.2)

[†] Ninety-five percent confidence interval.

TABLE MS-13. Percentage of middle school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .

"Think young people who smoke cigarettes have more friends"

	Never Smoker	Current Smoker
Gender		
Female	23.1(±4.2)†	46.0(±10.4)
Male	22.2(±4.5)	59.4(±14.8)
Grade		
Sixth	20.6(±3.4)	39.9(±39.1)
Seventh	25.0(±5.2)	53.8(±13.6)
Eighth	22.7(±5.6)	56.0(±15.0)
Race/ethnicity		
White	18.5(±3.5)	53.9(±17.9)
Black	26.3(±5.4)	53.1(±16.5)
Hispanic	34.5(±3.7)	56.2(±24.4)
Other	14.7(±8.0)	0.0(±0.0)
Total	22.6(±3.2)	53.3(±9.8)

[†] Ninety-five percent confidence interval.

TABLE HS-1. Percentage of high school students who report ever using* any tobacco product (cigarettes, cigars, smokeless tobacco) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .

	Any tobacco	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis/Kreteks
Gender						
Female	47.1(±4.4)†	40.6(±5.2)	$24.0(\pm 4.3)$	$8.6(\pm 3.5)$	$8.5(\pm 2.2)$	$6.0(\pm 2.1)$
Male	61.1(±3.7)	50.0(±5.1)	38.0(±3.7)	27.6(±6.4)	12.9(±3.9)	$6.8(\pm 2.1)$
Grade						
Ninth	47.4(±7.3)	$37.5(\pm 7.9)$	$21.2(\pm 2.7)$	$16.5(\pm 3.6)$	10.7(±3.5)	5.1(±2.6)
Tenth	54.9(±6.4)	46.4(±7.4)	$27.6(\pm 5.4)$	16.3(±7.6)	8.0(±2.5)	4.5(±2.2)
Eleventh	51.8(±5.9)	42.4(±6.9)	32.7(±5.3)	17.7(±5.1)	9.1(±3.6)	7.2(±3.5)
Twelfth	65.3(±4.5)	58.3(±5.2)	47.2(±6.7)	23.3(±6.7)	15.7(±3.3)	9.4(±3.5)
Race/ethnicity						
White	54.2(±5.1)	$46.5(\pm 5.4)$	$34.4(\pm 3.7)$	$25.5(\pm 5.3)$	13.0(±2.5)	$7.6(\pm 2.5)$
Black	54.3(±4.5)	43.2(±5.1)	26.9(±4.2)	9.4(±3.3)	6.9(±3.2)	4.6(±2.5)
Hispanic	48.5(±6.1)	44.2(±6.9)	26.2(±6.7)	7.7(±3.3)	12.1(±5.3)	6.2(±3.9)
Other	58.4(±15.3)	50.6(±16.4)	42.1(±19.1)	23.8(±13.8)	20.0(±10.2)	11.0(±14.7)
Total	54.1(±3.3)	45.3(±3.9)	31.0(±2.7)	18.2(±4.0)	10.7(±1.9)	6.4(±1.9)

^{*}Ever use of cigarettes was determined by asking, "Have you ever tried cigarette smoking, even one or two puffs?" Ever use of cigars was determined by asking, "Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?" Ever use of smokeless tobacco was determined by asking, "Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?"

[†] Ninety-five percent confidence interval.

TABLE HS-2. Percentage of high school students who report current use of any tobacco product (cigarettes, cigars, smokeless tobacco, pipes, or bidis) by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Any tobacco*	Cigarettes	Cigars	Smokeless tobacco	Pipes	Bidis	Kreteks
Gender							
Female	17.9(±3.5)+	13.1(±3.2)	7.3(±2.3)	3.2(±1.8)	2.9(±1.7)	$0.6(\pm 0.5)$	$2.5(\pm 1.3)$
Male	31.0(±4.2)	21.5(±4.5)	16.2(±3.5)	13.1(±4.5)	4.6(±1.5)	2.4(±1.2)	3.6(±1.1)
Grade							
Ninth	16.3(±4.5)	10.2(±3.6)	$6.1(\pm 1.8)$	$8.4(\pm 3.4)$	$2.5(\pm 1.8)$	$1.2(\pm 0.9)$	$2.1(\pm 1.2)$
Tenth	22.6(±7.3)	16.8(±7.1)	9.5(±3.0)	6.3(±3.8)	3.4(±2.4)	$1.0(\pm 0.5)$	2.7(±1.1)
Eleventh	27.3(±3.6)	17.2(±4.3)	14.2(±4.3)	6.4(±3.0)	$4.0(\pm 2.3)$	$1.0(\pm 1.3)$	3.8(±2.1)
Twelfth	35.0(±6.9)	28.3(±5.3)	19.8(±6.2)	12.2(±6.3)	5.5(±2.3)	2.9(±2.0)	3.7(±2.7)
Race/ethnicity							
White	29.6(±5.8)	22.7(±6.2)	12.0(±3.0)	11.9(±4.0)	$5.0(\pm 1.3)$	$2.0(\pm 1.2)$	$3.3(\pm 1.8)$
Black	17.6(±3.6)	10.1(±2.2)	11.8(±2.5)	3.6(±1.9)	1.3(±1.7)	$0.3(\pm 0.6)$	1.7(±1.4)
Hispanic	22.1(±6.4)	15.3(±5.9)	9.7(±4.9)	4.4(±3.3)	6.7(±3.1)	4.9(±2.9)	7.5(±5.3)
Other	32.8(±18.9)	24.1(±12.8)	8.8(±10.6)	15.1(±12.9)	6.1(±9.0)	$0.0(\pm 0.0)$	7.1(±9.7)
Total	24.5(±3.1)	17.3(±3.1)	11.8(±2.1)	8.2(±2.7)	3.8(±1.4)	1.5(±0.7)	3.0(±1.0)

^{*}Current use of cigarettes or cigars or smokeless tobacco or pipes or bidis or kreteks on 1 of the 30 days preceding the survey.

[†] Ninety-five percent confidence interval.

TABLE HS-3. Percentage of high school students who report current use* of emerging tobacco products: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Current Use
Roll-Your-Own Cigarettes	4.7(±1.4)+
Flavored Cigarettes	8.0(±2.4)
Clove Cigars	$1.7(\pm 1.0)$
Flavored Little Cigars	4.6(±1.7)
Hookah/Waterpipe	$2.4(\pm 1.3)$
Snus	2.9(±1.7)
Dissolvables (e.g. orbs, strips, sticks)	0.8(±0.6)
Electronic Cigarettes	2.2(±1.1)
Other new product	3.1(±1.1)
Percent of current smokers using at least	73.3(±8.1)
one of the above products	, ,

^{*}Current use defined as use on one or more of the past 30 days.)

[†] Ninety-five percent confidence interval.

TABLE HS-4. Percentage of high school students who report first using* cigarettes before 11 years of age and ever smoking 100 cigarettes in their lifetime, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Ever smokers who smoked first whole cigarette before age 11	Ever smokers who smoked 100+ cigarettes in their lifetime
Gender		
Female	14.9(±4.5)†	15.6(±2.9)
Male	21.9(±4.9)	26.7(±5.4)
Grade		
Ninth	29.1(±10.3)	12.8(±4.0)
Tenth	19.5(±8.0)	17.0(±6.7)
Eleventh	10.4(±5.2)	23.6(±7.8)
Twelfth	14.7(±5.6)	32.6(±6.1)
Race/ethnicity		
White	17.4(±3.7)	$32.8(\pm 6.0)$
Black	20.4(±7.1)	7.4(±4.8)
Hispanic	19.2(±5.7)	$16.3(\pm 6.5)$
Other	24.2(±20.9́)	14.8(±18.7)
Total	18.8(±4.2)	21.7(±3.4)

^{*}Age of initiation was determined by asking students these questions: "How old were you when you smoked a whole cigarette for the first time?"

TABLE HS-5. Percentage of high school students who are current smokers who report usually smoking menthol cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Usually smokes menthol cigarettes
Gender	
Female	58.1(±10.3)+
Male	49.0(±12.0)
Grade	
Ninth	48.5(±14.2)
Tenth	43.3(±17.6)
Eleventh	50.5(±18.2)
Twelfth	62.1(±20.1)
Race/ethnicity	
White	58.2(±10.7)
Black	29.8(±13.7)
Hispanic	63.3(±15.8)
Other	71.2(±39.0)
Total	52.5(±9.2)

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE HS-6. Percentage of high school students who report frequently using* cigarettes, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Frequent cigarette smoking
Gender	
Female	4.7(±1.4)†
Male	8.9(±2.8)
Grade	
Ninth	2.5(±1.7)
Tenth	5.3(±2.8)
Eleventh	5.3(±2.8)
Twelfth	16.3(±3.6)
Race/ethnicity	
White	10.3(±3.3)
Black	2.1(±1.2)
Hispanic	5.7(±2.9)
Other	10.1(±11.2)
Total	6.8(±1.7)

^{*} Smoked cigarettes, on 20 of the 30 days preceding the survey

TABLE HS-7. Percentage of high school current smoking students who report their primary sources of cigarettes, by social source, direct purchase, and other sources: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region . (Note: Total is greater than 100% because students had the option to choose more than one answer.)

	Current Smoker
Social Sources:	
Gave someone else money to buy them for me	24.8(±5.2)†
Borrowed (or bummed) them from someone else	33.1(±4.9)
Someone else gave them to me without me asking	7.0(±3.0)
Direct Purchase:	
Bought them in a store such as a convenience store, supermarket, drug store, or gas station	50.3(±8.0)
Bought them from a vending machine	$0.0(\pm 0.0)$
Bought them from Internet	0.4(±0.7)
Other Sources:	
Took them from store or family member	39.3(±3.0)
Got them some other way	10.6(±5.2)

[†] Ninety-five percent confidence interval.

[†] Ninety-five percent confidence interval.

TABLE HS-8. Percentage of high school students who report smoking intentions and perceptions about smoking to initiate smoking, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/Coastal Region.

	Never smoked who will not try a cigarette soon	Never smoked who will definitely not smoke cigarettes during the next year	Never smoked who think they will definitely not smoke if one of their best friends offers them a cigarette	Never smoked who have discussed with parent (or guardian) about not using any type of tobacco product	Never smoked who think young people who smoke cigarettes have more friends	Never smoked who think smoking cigarettes makes young people look cool or fit in
Gender						
Female	97.8(±1.9)†	78.4(±4.5)	80.2(±4.7)	41.9(±5.7)	$21.9(\pm 5.6)$	$4.3(\pm 2.0)$
Male	97.4(±2.1)	79.4(±4.4)	79.1(±4.5)	38.3(±6.3)	16.4(±3.7)	5.5(±2.5)
Grade						
Ninth	95.1(±3.3)	76.7(±7.7)	76.4(±5.5)	43.4(±7.7)	21.3(±5.3)	$8.4(\pm 4.0)$
Tenth	99.4(±0.8)	74.0(±6.9)	78.3(±5.6)	45.7(±6.8)	19.6(±6.5)	2.6(±2.2)
Eleventh	98.1(±1.4)	84.5(±5.4)	82.2(±4.7)	41.6(±8.7)	16.0(±6.7)	3.5(±2.8)
Twelfth	99.2(±1.4)	82.9(±7.2)	85.3(±7.3)	22.6(±8.9)	20.0(±8.1)	2.7(±2.4)
Race/ethnicity						
White	98.9(±0.9)	79.3(±4.9)	79.7(±3.4)	39.5(±5.7)	14.4(±3.4)	$3.3(\pm 1.4)$
Black	95.9(±3.1)	78.1(±5.3)	79.3(±3.8)	42.0(±9.8)	24.9(±4.4)	6.8(±2.7)
Hispanic	97.7(±2.6)	79.5(±8.2)	81.7(±6.5)	42.2(±9.4)	25.0(±11.0)	5.7(±4.4)
Other	$100.0(\pm 0.0)$	87.2(±17.6)	87.2(±17.6)	21.3(±18.8)	24.0(±22.5)	3.3(±6.9)
Total	97.6(±1.3)	78.9(±3.9)	79.7(±2.3)	40.3(±5.3)	19.4(±3.0)	4.8(±1.4)

^{*} Students were considered not susceptible if they answered, "No, will not try a cigarette soon" and "Definitely no, will not smoke in the next year" and "Definitely no, would not smoke if best friend offered." All other students were considered susceptible.

[†] Ninety-five percent confidence interval.

TABLE HS-9. Percentage of high school students who report media and advertising influence regarding tobacco and receptivity to tobacco advertising*, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

HOLLI CAIO	illa Toutil Tobact	Region 1/ Coastai R	cgion i	
	Saw or heard anti- smoking commercials during the past 30 days	Watch TV or movies who see actors using tobacco (most or some of the time)	Use Internet and see Internet ads for tobacco products (most or some of the time)	Use Internet, watch TV, or go to movies who see (most or some of the time) ads for tobacco products
Gender				
Female	70.6(±3.7)+	$88.5(\pm 3.3)$	45.8(±4.1)	90.5(±3.2)
Male	70.1(±3.2)	85.4(±3.1)	35.7(±3.6)	87.3(±3.2)
Grade				
Ninth	70.7(±5.2)	87.4(±3.9)	44.6(±5.1)	89.1(±3.5)
Tenth	68.4(±4.8)	89.6(±3.4)	42.6(±5.8)	89.7(±4.5)
Eleventh	73.6(±3.9)	82.3(±4.7)	33.6(±4.4)	85.6(±4.1)
Twelfth	68.5(±4.7)	88.4(±3.2)	41.0(±4.3)	91.3(±3.0)
Race/ethnicity				
White	72.1(±2.7)	88.5(±2.0)	$38.8(\pm 3.6)$	89.8(±2.3)
Black	68.8(±4.8)	86.1(±3.7)	42.0(±5.4)	88.5(±4.3)
Hispanic	67.4(±6.9)	83.0(±3.3)	49.6(±9.3)	87.0(±4.7)
Other	55.6(±14.2)	76.8(±12.3)	34.1(±13.8)	80.3(±11.6)
Total	70.3(±2.4)	86.9(±2.3)	40.7(±2.4)	88.9(±2.5)

^{*} The percentage of students who received anything with a tobacco company name or picture on it AND who would (Definitely Yes or Probably Yes) use or wear something with a tobacco company name or picture on it.

[†] Ninety-five percent confidence interval.

TABLE HS-10. Percentage of high school students who report exposure to antitobacco education in school or community in the past year, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region .

	Were taught about the dangers of tobacco use at school
Gender	
Female	36.7(±8.1)+
Male	38.2(±5.0)
Grade	
Ninth	51.3(±8.9)
Tenth	40.2(±7.4)
Eleventh	26.8(±7.3)
Twelfth	26.4(±4.8)
Race/ethnicity	
White	31.7(±6.6)
Black	44.6(±7.3)
Hispanic	41.6(±10.2)
Other	38.7(±15.9)
Total	37.4(±5.8)

[†] Ninety-five percent confidence interval.

TABLE HS-11. Percentage of high school never smoking students who report they were in their home or a car with someone who was smoking on 1 of the past 7 days, by gender, grade, race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

Survey, 2011—Region 1/ Coastar Region .			
	Home	Vehicle	
	Exposure	Exposure	
Gender			
Female	22.2(±5.7)+	31.9(±6.6)	
Male	18.2(±4.1)	22.9(±5.6)	
Grade			
Ninth	19.9(±5.8)	25.2(±6.6)	
Tenth	$23.8(\pm 5.1)$	$30.5(\pm 7.0)$	
Eleventh	$15.8(\pm 7.4)$	26.8(±11.9)	
Twelfth	23.1(±5.9)	30.8(±6.9)	
Race/ethnicity			
White	22.3(±5.6)	29.6(±5.4)	
Black	19.2(±6.0)	$26.0(\pm 6.9)$	
Hispanic	$12.2(\pm 7.8)$	25.5(±7.4)	
Other	27.9(±22.1)	28.9(±23.8́)	
T-4-1	20 4(4 0)	27.0(14.6)	
Total	20.4(±4.0)	27.8(±4.6)	

[†] Ninety-five percent confidence interval.

TABLE HS-12. Percentage of high school current smoking students who report quitting perceptions, intention to quit and cessation practices, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

	Who want to stop smoking cigarettes	Tried to quit at least once in the past 12 months	When they last tried to quit, stayed off cigarettes for less than 30 days
Gender			
Female	47.2(±9.6)†	60.6(±10.8)	48.0(±11.0)
Male	42.4(±11.2)	60.9(±7.8)	43.7(±10.8)
Grade			
Ninth	28.9(±11.5)	59.6(±11.2)	45.6(±16.0)
Tenth	40.8(±14.2)	58.4(±14.9)	46.0(±13.2)
Eleventh	48.6(±21.6)	57.0(±19.5)	43.7(±16.1)
Twelfth	52.3(±13.4)	65.5(±10.1)	45.8(±11.5)
Race/ethnicity			
White	43.2(±10.1)	59.3(±11.2)	42.7(±11.7)
Black	46.7(±22.4)	65.4(±14.8)	58.0(±17.1)
Hispanic	55.5(±15.4)	67.0(±18.6)	43.4(±22.2)
Other	20.5(±41.0)	56.0(±27.5)	30.2(±38.2)
Total	44.2(±9.0)	60.8(±8.3)	45.4(±8.0)

[†] Ninety-five percent confidence interval.

TABLE HS-13. Percentage of high school never and current smoking students who report smoking perceptions, by gender, grade, and race/ethnicity: North Carolina Youth Tobacco Survey, 2011—Region 1/ Coastal Region.

"Think young people who smoke cigarettes have more friends."

	Never Smoker	Current Smoker
Gender		
Female	21.9(±5.6)+	33.8(±9.3)
Male	16.4(±3.7)	44.2(±9.2)
Grade		
Ninth	21.3(±5.3)	48.7(±15.5)
Tenth	19.6(±6.5)	38.8(±11.5)
Eleventh	16.0(±6.7)	51.7(±13.7)
Twelfth	20.0(±8.1)	28.5(±10.7)
Race/ethnicity		
White	14.4(±3.4)	36.6(±7.9)
Black	24.9(±4.4)	50.3(±15.1)
Hispanic	25.0(±11.0)	42.4(±16.7)
Other	24.0(±22.5)	43.3(±30.5)
Total	19.4(±3.0)	40.3(±6.2)

[†] Ninety-five percent confidence interval.